		•		
L Number	Hits	Search Text	DB	Time stamp .
1	599	(halfton\$5 or half-ton\$5 or (half near4 ton\$5)) near6 ((multi\$6)	USPAT;	2004/06/30 15:32
		near4 (gradat\$5 or level\$5))	US-PGPUB;	
		, , , , , , , , , , , , , , , , , , , ,	EPO; JPO;	
			DERWENT,	
			IBM_TDB	
2	871	(halfton\$5 or half-ton\$5 or (half near4 ton\$5)) near6	USPAT;	2004/06/30 15:35
		(multilevel or multi-level or multiple-level or multigradat\$5 or	US-PGPUB;	
		multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6) near4	EPO; JPO;	
		(gradat\$5 or level\$5)))	DERWENT;	
			IBM_TDB	
3	801	((halfton\$5 or half-ton\$5 or (half near4 ton\$5)) near6	USPAT;	2004/06/30 15:35
		(multilevel or multi-level or multiple-level or multigradat\$5 or	US-PGPUB;	
		multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6) near4	EPO; JPO;	
		(gradat\$5 or level\$5)))) and imag\$5	DERWENT;	1
		(3	IBM_TDB	
4	588	(((halfton\$5 or half-ton\$5 or (half near4 ton\$5)) near6	USPAT;	2004/06/30 15:38
		(multilevel or multi-level or multiple-level or multigradat\$5 or	US-PGPUB;	
		multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6) near4	EPO; JPO;	
		(gradat\$5 or level\$5)))) and imag\$5) and (discriminat\$4 or	DERWENT;	
		judg\$4 or determin\$4 or discern\$4)	IBM_TDB	
5	127	((((halfton\$5 or half-ton\$5 or (half near4 ton\$5)) near6	USPAT;	2004/06/30 15:53
		(multilevel or multi-level or multiple-level or multigradat\$5 or	US-PGPUB;	
1		multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6) near4	EPO; JPO;	
		(gradat\$5 or level\$5)))) and imag\$5) and (discriminat\$4 or	DERWENT;	
		judg\$4 or determin\$4 or discern\$4)) and ((halfton\$5 or	IBM_TDB	
		half-ton\$5 or (half near4 ton\$5)) near6 (multilevel or		
		multi-level or multiple-level or multigradat\$5 or multi-gradat\$5		
		or multiple-gradat\$5 or ((multi\$6) near4 (gradat\$5 or		
	1	level\$5)))) near6 (conver\$5 or transform\$5)		
6	94		USPAT;	2004/06/30 16:11
		(multilevel or multi-level or multiple-level or multigradat\$5 or	US-PGPUB;	
		multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6) near4	EPO; JPO;	
		(gradat\$5 or level\$5)))) and imag\$5) and (discriminat\$4 or	DERWENT;	
		judg\$4 or determin\$4 or discern\$4)) and ((halfton\$5 or	IBM_TDB	
		half-ton\$5 or (half near4 ton\$5)) near6 (multilevel or		
		multi-level or multiple-level or multigradat\$5 or multi-gradat\$5		
		or multiple-gradat\$5 or ((multi\$6) near4 (gradat\$5 or		
		level\$5)))) near6 (conver\$5 or transform\$5)) and		
		@ad<20001211		
7	72	(((((((halfton\$5 or half-ton\$5 or (half near4 ton\$5)) near6	USPAT;	2004/06/30 16:11
		(multilevel or multi-level or multiple-level or multigradat\$5 or	US-PGPUB;	
		multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6) near4	EPO; JPO;	1
		(gradat\$5 or level\$5)))) and imag\$5) and (discriminat\$4 or	DERWENT;	
		judg\$4 or determin\$4 or discern\$4)) and ((halfton\$5 or	IBM_TDB	
		half-ton\$5 or (half near4 ton\$5)) near6 (multilevel or		
		multi-level or multiple-level or multigradat\$5 or multi-gradat\$5		
		or multiple-gradat\$5 or ((multi\$6) near4 (gradat\$5 or		
		level\$5)))) near6 (conver\$5 or transform\$5)) and		
		@ad<20001211) and (imag\$5 near6 output\$5)		

L Number	Hits	Search Text	DB	Time stamp
1	599	(halfton\$5 or half-ton\$5 or (half near4 ton\$5)) near6 ((multi\$6)	USPAT;	2004/06/30 15:32
•	3,73	near4 (gradat\$5 or level\$5))	US-PGPUB;	
		11001 1 (3.00047 01.10.040/)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
2	871	(haifton\$5 or haif-ton\$5 or (haif near4 ton\$5)) near6	USPAT;	2004/06/30 15:35
		(multilevel or multi-level or multiple-level or multigradat\$5 or	US-PGPUB;	
		multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6) near4	EPO; JPO;	
		(gradat\$5 or level\$5)))	DERWENT;	
			IBM_TDB	
3	801	((halfton\$5 or half-ton\$5 or (half near4 ton\$5)) near6	USPAT;	2004/06/30 15:35
		(multilevel or multi-level or multiple-level or multigradat\$5 or	US-PGPUB;	
		multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6) near4	EPO; JPO;	
		(gradat\$5 or level\$5)))) and imag\$5	DERWENT;	
	500	(//h-lfttf holf tontf or (holf noord tontf)) noor6	IBM_TDB USPAT;	2004/06/30 15:38
4	588	(((halfton\$5 or half-ton\$5 or (half near4 ton\$5)) near6 (multilevel or multi-level or multiple-level or multigradat\$5 or	US-PGPUB;	2004/00/30 13.30
		multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6) near4	EPO; JPO;	
		(gradat\$5 or level\$5)))) and imag\$5) and (discriminat\$4 or	DERWENT;	
'	1	judg\$4 or determin\$4 or discern\$4)	IBM_TDB	
5	127	((((halfton\$5 or half-ton\$5 or (half near4 ton\$5)) near6	USPAT;	2004/06/30 15:53
1	12,	(multilevel or multi-level or multiple-level or multigradat\$5 or	US-PGPUB;	
		multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6) near4	EPO; JPO;	
ļ		(gradat\$5 or level\$5)))) and imag\$5) and (discriminat\$4 or	DERWENT;	
		judg\$4 or determin\$4 or discern\$4)) and ((halfton\$5 or	IBM_TDB	
		half-ton\$5 or (half near4 ton\$5)) near6 (multilevel or		
ļ		multi-level or multiple-level or multigradat\$5 or multi-gradat\$5		
		or multiple-gradat\$5 or ((multi\$6) near4 (gradat\$5 or		
	1	level\$5)))) near6 (conver\$5 or transform\$5)	LICDAT	2004/06/20 15:54
6	94	1 (((((::::::::::::::::::::::::::::::::	USPAT;	2004/06/30 15:54
		(multilevel or multi-level or multiple-level or multigradat\$5 or	US-PGPUB;	
		multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6) near4	EPO; JPO; DERWENT;	
		(gradat\$5 or level\$5)))) and imag\$5) and (discriminat\$4 or judg\$4 or determin\$4 or discern\$4)) and ((halfton\$5 or	IBM_TDB	
		half-ton\$5 or (half near4 ton\$5)) near6 (multilevel or	10.1_100	
		multi-level or multiple-level or multigradat\$5 or multi-gradat\$5		
		or multiple-gradat\$5 or ((multi\$6) near4 (gradat\$5 or		
		level\$5)))) near6 (conver\$5 or transform\$5)) and		
		@ad<20001211		1

L Number	Hits	Search Text	DB	Time stamp 🕝
1	271612	imag\$5 near6 (discriminat\$5 or determin\$5 or deci\$6 or	USPAT;	2004/06/30 14:04
		differ\$5 or judg\$5 or discern\$5)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
2	132731	(imag\$5 near6 (discriminat\$5 or determin\$5 or deci\$6 or	USPAT;	2004/06/30 14:05
		differ\$5 or judg\$5 or discern\$5)) and (transform\$6 or	US-PGPUB;	
ļ		conver\$6)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
3	66205	((imag\$5 near6 (discriminat\$5 or determin\$5 or deci\$6 or	USPAT;	2004/06/30 14:06
		differ\$5 or judg\$5 or discern\$5)) and (transform\$6 or	US-PGPUB;	
		conver\$6)) and driv\$5	EPO; JPO;	
			DERWENT;	
	l		IBM_TDB	2004/06/20 14:06
4	32171	(((imag\$5 near6 (discriminat\$5 or determin\$5 or deci\$6 or	USPAT;	2004/06/30 14:06
		differ\$5 or judg\$5 or discern\$5)) and (transform\$6 or	US-PGPUB;	
	ļ	conver\$6)) and driv\$5) and (imag\$5 near6 output\$5)	EPO; JPO;	
			DERWENT; IBM_TDB	
_	46720	////	USPAT;	2004/06/30 14:07
5	16730	((((imag\$5 near6 (discriminat\$5 or determin\$5 or deci\$6 or	US-PGPUB;	2004/00/30 14.07
		differ\$5 or judg\$5 or discern\$5)) and (transform\$6 or conver\$6)) and driv\$5) and (imag\$5 near6 output\$5)) and	EPO; JPO;	
		(imag\$5 near6 digit\$5)	DERWENT;	
		(Illiags) licalo digits)	IBM_TDB	
6	3926	((((imag\$5 near6 (discriminat\$5 or determin\$5 or deci\$6 or	USPAT;	2004/06/30 14:19
0	3920	differ\$5 or judg\$5 or discern\$5)) and (transform\$6 or	US-PGPUB;	200 1/00/30 11115
		conver\$6)) and driv\$5) and (imag\$5 near6 output\$5)) and	EPO; JPO;	
		(imag\$5 near6 digit\$5 near6 input\$5)	DERWENT;	
		(inaggo nearo agrees nearo inpares)	IBM_TDB	
7	704	((((((imag\$5 near6 (discriminat\$5 or determin\$5 or deci\$6 or	USPAT;	2004/06/30 14:20
	1	differ\$5 or judg\$5 or discern\$5)) and (transform\$6 or	US-PGPUB;	' '
		conver\$6)) and driv\$5) and (imag\$5 near6 output\$5)) and	EPO; JPO;	
		(imag\$5 near6 digit\$5 near6 input\$5)) and (halfton\$5 or (half	DERWENT;	
		near4 ton\$5))	IBM_TDB	
8	268	((((((imag\$5 near6 (discriminat\$5 or determin\$5 or deci\$6 or	USPAT;	2004/06/30 14:22
		differ\$5 or judg\$5 or discern\$5)) and (transform\$6 or	US-PGPUB;	
		conver\$6)) and driv\$5) and (imag\$5 near6 output\$5)) and	EPO; JPO;	
		(imag\$5 near6 digit\$5 near6 input\$5)) and (halfton\$5 or (half	DERWENT;	
		near4 ton\$5))) and gradat\$6	IBM_TDB	
9	205	(((((((imag\$5 near6 (discriminat\$5 or determin\$5 or deci\$6 or	USPAT;	2004/06/30 14:22
		differ\$5 or judg\$5 or discern\$5)) and (transform\$6 or	US-PGPUB;	
		conver\$6)) and driv\$5) and (imag\$5 near6 output\$5)) and	EPO; JPO;	
		(imag\$5 near6 digit\$5 near6 input\$5)) and (halfton\$5 or (half	DERWENT;	
		near4 ton\$5))) and gradat\$6) and @ad<20001211	IBM_TDB	

L Number	Hits	Search Text	DB	Time stamp
1	271612	imag\$5 near6 (discriminat\$5 or determin\$5 or deci\$6 or	USPAT;	2004/06/30 14:32
		differ\$5 or judg\$5 or discern\$5)	US-PGPUB;	
			EPO; JPO;	
ĺ			DERWENT;	
			IBM_TDB	2004/06/20 14:05
2	132731	(imag\$5 near6 (discriminat\$5 or determin\$5 or deci\$6 or	USPAT;	2004/06/30 14:05
		differ\$5 or judg\$5 or discern\$5)) and (transform\$6 or	US-PGPUB;	
		conver\$6)	EPO; JPO;	
	!		DERWENT; IBM_TDB	
_	66305	//imaget agent (discriminate or determine or decité or	USPAT;	2004/06/30 14:06
3	66205	((imag\$5 near6 (discriminat\$5 or determin\$5 or deci\$6 or differ\$5 or judg\$5 or discern\$5)) and (transform\$6 or	US-PGPUB;	2004/00/30 14.00
			EPO; JPO;	
		conver\$6)) and driv\$5	DERWENT;	
			IBM_TDB	
,	32171	(((imag\$5 near6 (discriminat\$5 or determin\$5 or deci\$6 or	USPAT;	2004/06/30 14:06
4	321/1	differ\$5 or judg\$5 or discern\$5)) and (transform\$6 or	US-PGPUB;	2001,00,00
		conver\$6)) and driv\$5) and (imag\$5 near6 output\$5)	EPO; JPO;	
		Conversor) and anvest and (inages nears surpares)	DERWENT;	
			IBM_TDB	
5	16730	((((imag\$5 near6 (discriminat\$5 or determin\$5 or deci\$6 or	USPAT;	2004/06/30 14:07
	10,30	differ\$5 or judg\$5 or discern\$5)) and (transform\$6 or	US-PGPUB;	
		conver\$6)) and driv\$5) and (imag\$5 near6 output\$5)) and	EPO; JPO;	
		(imag\$5 near6 digit\$5)	DERWENT;	
			IBM_TDB	
6	3926	(((((imag\$5 near6 (discriminat\$5 or determin\$5 or deci\$6 or	USPAT;	2004/06/30 14:19
		differ\$5 or judg\$5 or discern\$5)) and (transform\$6 or	US-PGPUB;	
		conver\$6)) and driv\$5) and (imag\$5 near6 output\$5)) and	EPO; JPO;	
		(imag\$5 near6 digit\$5 near6 input\$5)	DERWENT;	
			IBM_TDB	
7	704	(((((imag\$5 near6 (discriminat\$5 or determin\$5 or deci\$6 or	USPAT;	2004/06/30 14:20
		differ\$5 or judg\$5 or discern\$5)) and (transform\$6 or	US-PGPUB;	
	ļ	conver\$6)) and driv\$5) and (imag\$5 near6 output\$5)) and	EPO; JPO;	
		(imag\$5 near6 digit\$5 near6 input\$5)) and (halfton\$5 or (half	DERWENT;	
	200	near4 ton\$5))	IBM_TDB USPAT;	2004/06/30 14:22
8	268	(((((((imag\$5 near6 (discriminat\$5 or determin\$5 or deci\$6 or differ\$5 or judg\$5 or discern\$5)) and (transform\$6 or	US-PGPUB;	2004/00/30 14.22
		conver\$6)) and driv\$5) and (imag\$5 near6 output\$5)) and	EPO; JPO;	
		(imag\$5 near6 digit\$5 near6 input\$5)) and (halfton\$5 or (half	DERWENT;	
İ		near4 ton\$5))) and gradat\$6	IBM_TDB	
9	205	(((((((imag\$5 near6 (discriminat\$5 or determin\$5 or deci\$6 or	USPAT;	2004/06/30 14:32
	203	differ\$5 or judg\$5 or discern\$5)) and (transform\$6 or	US-PGPUB;	
		conver\$6)) and driv\$5) and (imag\$5 near6 output\$5)) and	EPO; JPO;	
		(imag\$5 near6 digit\$5 near6 input\$5)) and (halfton\$5 or (half	DERWENT;	
		near4 ton\$5))) and gradat\$6) and @ad<20001211	IBM_TDB	
10	94		USPAT;	2004/06/30 14:47
		differ\$5 or judg\$5 or discern\$5) near6 (halfton\$5 or (half near4	US-PGPUB;	
		ton\$5)) near6 gradat\$6	EPO; JPO;	
			DERWENT;	
}			IBM_TDB	2004/06/20 11 77
11	94		USPAT;	2004/06/30 14:53
		differ\$5 or judg\$5 or discern\$5) near6 (halfton\$5 or (half near4	US-PGPUB;	
		ton\$5) or half-ton\$5) near6 gradat\$6	EPO; JPO;	
			DERWENT;	
1.0			IBM_TDB	2004/06/20 14:57
12	1	imag\$5 near6 (discriminat\$5 or determin\$5 or deci\$6 or	USPAT;	2004/06/30 14:57
		differ\$5 or judg\$5 or discern\$5) near6 (halfton\$5 or (half near4	US-PGPUB; EPO; JPO;	
		ton\$5) or half-ton\$5) near6 ((multiple near6 gradat\$6) or	DERWENT;	
		multiple-gradat\$5)	IBM_TDB	

13	15	imag\$5 near6 (halfton\$5 or (half near4 ton\$5) or half-ton\$5)	USPAT;	2004/06/30 14:59
		near6 ((multiple near6 gradat\$6) or multiple-gradat\$5)	US-PGPUB;	>
			EPO; JPO;	
	1		DERWENT;	
			IBM_TDB]
14	17	imag\$5 near6 (halfton\$5 or (half near4 ton\$5) or half-ton\$5)	USPAT;	2004/06/30 15:06
		near6 ((multipl\$6 near6 gradat\$6) or multiple-gradat\$5)	US-PGPUB;	
	}		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
15	14	(imag\$5 near6 (halfton\$5 or (half near4 ton\$5) or half-ton\$5)	USPAT;	2004/06/30 15:00
		near6 ((multipl\$6 near6 gradat\$6) or multiple-gradat\$5)) and	US-PGPUB;	
		@ad<20001211	EPO; JPO;	
1			DERWENT;	
			IBM_TDB	